

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	31	((case adj colyn) (vyshetsky adj dmitry) (treichler adj sean)).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:06
S2	4	S1 and client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:07
S3	27	US-4992936-\$.DID. OR US-5058003-\$.DID. OR US-5375214-\$.DID. OR US-5446854-\$.DID. OR US-5479627-\$.DID. OR US-5796978-\$.DID. OR US-5928352-\$.DID. OR US-5956756-\$.DID. OR US-5963984-\$.DID. OR US-6205530-\$.DID. OR US-6205531-\$.DID. OR US-6356991-\$.DID. OR US-6418523-\$.DID. OR US-U56457068-\$.DID. OR US-U56618770-\$.DID. OR US-6628294-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:08
S4	0	S3 and client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:08
S5	2	S3 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:18

EAST Search History

S6	49	(US-20050027962-\$ or US-20030110205-\$ or US-20060036830-\$ or US-20050027961-\$ or US-20020133685-\$).did. or (US-5802605-\$ or US-6418522-\$ or US-6760909-\$ or US-5956756-\$ or US-5860146-\$ or US-5479627-\$ or US-6625715-\$ or US-6205530-\$ or US-5526504-\$ or US-5263140-\$ or US-5375214-\$ or US-6374341-\$ or US-6549997-\$ or US-5446854-\$ or US-5928352-\$ or US-5963984-\$ or US-4992936-\$ or US-5930832-\$ or US-4677546-\$ or US-6813678-\$). did. or (EP-508577-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:19
S7	12	(US-20050027962-\$ or US-20030110205-\$ or US-20060036830-\$ or US-20050027961-\$ or US-20020133685-\$) or (US-5802605-\$ or US-6418522-\$ or US-6760909-\$ or US-5956756-\$ or US-5860146-\$ or US-5479627-\$ or US-6625715-\$ or US-6205530-\$ or US-5526504-\$ or US-5263140-\$ or US-5375214-\$ or US-6374341-\$ or US-6549997-\$ or US-5446854-\$ or US-5928352-\$ or US-5963984-\$ or US-4992936-\$ or US-5930832-\$ or US-4677546-\$ or US-6813678-\$). pn. or (EP-508577-\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:20
S8	27	((((translation adj lookaside adj buffer) tlb) and (network client)). ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:12
S9	2	"20040215800"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:40
S10	2	"6928529".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:51

EAST Search History

S11	2	"20040103248"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 11:51
S12	56	((translation adj lookaside adj buffer) tlb) with (network client)) not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:13
S13	3	((translation adj lookaside adj buffer) tlb) with (network client) and (variable mutiple) near3 size) not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:36
S14	59	((global adj translation adj lookaside adj buffer) (global adj tlb) (gtlb))) not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:19
S15	10	((global adj translation adj lookaside adj buffer) (global adj tlb) (gtlb)) and (variable mutiple) near3 size) not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:19
S16	4	((translation adj lookaside adj buffer) tlb) with (network client) same (multiprocessor mulithreaded))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 12:26
S17	27	((translation adj lookaside adj buffer) tlb) and (network client)). ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:36
S18	12	((translation adj lookaside adj buffer) tlb) with (multiple near3 processor host client) and (variable mutiple) near3 size) not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:38

EAST Search History

S19	2	((((translation adj lookaside adj buffer) tlb) with (multiple near3 (processor host client)) and (variable mutiple) near3 size) not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:40
S20	0	((((translation adj lookaside adj buffer) tlb) with (server) and (variable mutiple) near3 size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:41
S21	16	((((translation adj lookaside adj buffer) tlb) with (server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:48
S22	2	"20040225765"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:46
S23	104	(shared common) adj ((translation adj lookaside adj buffer) tlb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:49
S24	31	(shared common) adj ((translation adj lookaside adj buffer) tlb).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:50
S25	27	(shared common) adj ((translation adj lookaside adj buffer) tlb) and (multiple variable) near3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:50
S26	2	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:49

EAST Search History

S27	7	(shared) adj ((translation adj lookaside adj buffer) tlb) and (multiple variable) near3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 15:06
S28	0	(universal) adj ((translation adj lookaside adj buffer) tlb) and (multiple variable) near3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:58
S29	0	(universal) adj ((translation adj lookaside adj buffer) tlb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:58
S30	10	(global) adj ((translation adj lookaside adj buffer) tlb) and (multiple variable) near3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:58
S31	9	(shar\$3) adj ((translation adj lookaside adj buffer) tlb) and (multiple variable) near3 size not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 15:07
S32	9	("5754818" "5893166" "6085296" "6105113" "6138226" "6260131" "6289432" "6564311" "6598050").PN. OR ("6728858").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 15:09
S33	16	("5613083" "5644748" "5680565" "5717898" "5819035" "5832205" "5881264" "5893165" "5928334").PN. OR ("6260131").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 16:11
S34	9	S33 and tlb	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/03 16:11
S35	10	("5893166").URPN.	USPAT	OR	ON	2006/04/03 16:22
S36	4	S35 and tlb	USPAT	OR	ON	2006/04/03 16:22
S37	21	("5455924").PN. OR ("5613083").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/04 11:36

EAST Search History

S38	6	S37 and tlb	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/04 11:37
S39	6	S37 and translation adj lookaside adj buffer	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/04 11:36
S40	6	S37 and S38	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/04 11:37
S41	18	(US-20040064654-\$ or US-20050027961-\$ or US-20050055510-\$ or US-20040215800-\$ or US-20040103248-\$).did. or (US-6728858-\$ or US-6427190-\$ or US-6003123-\$ or US-5574939-\$ or US-6289432-\$ or US-6260131-\$ or US-6598050-\$ or US-5613083-\$ or US-5893166-\$ or US-6055617-\$ or US-5860146-\$ or US-6370632-\$ or US-6928529-\$).did.	US-PGPUB; USPAT	OR	ON	2006/04/04 12:27
S42	4	S41 and (arbitrat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 12:39
S43	2	S41 and buffer with requests with tlb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 12:45

EAST Search History

S44	197	("5860146" "6163834" "5649141" "6081833" "6094708" "5699551" "5307477" "5542062" "5754818" "4084230" "5479627" "5956756" "5963984" "6145064" "5933158" "5473348" "5905509" "5949436" "5999198" "6332184" "6941384" "6968425" "5479630" "6009503" "6343345" "5630088" "5530823" "6085296" "5630087" "6073226" "6105113" "5497480" "5530824" "5604879" "4587610" "5237671" "5255384" "5325507" "5329629" "5463750" "5535351" "5603008" "5606683" "5717885" "5778427" "5860147" "5873123" "5906001" "5907867" "5930832").pn. ("5928352" "5946716" "5953748" "6006312" "6223255" "6223255" "4525778" "4914577" "5265227" "5319760" "5339397" "5412787" "5428757" "5493660" "5515522" "5530822" "5574877" "5584005" "5586283" "5623619" "5696925" "5724538" "5752274" "5761691" "5765209" "5787494" "5802341" "5899994" "5996062" "6067608" "6240484" "6260131" "6282635" "6286090" "6327646" "6370632" "6393544" "6397379" "6418522" "6427162" "6430667" "6446189" "6510508" "6604187" "6732238" "6782453" "6854046" "6915406" "7003647" "5913923").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 12:45
S45	2	"5860146".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 12:46
S46	27	("5860146" "6163834" "5649141" "6081833" "6094708" "5699551" "5307477" "5542062" "5754818" "4084230" "5479627" "5956756" "5963984" "6145064").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:31

EAST Search History

S47	197	("5860146" "6163834" "5649141" "6081833" "6094708" "5699551" "5307477" "5542062" "5754818" "4084230" "5479627" "5956756" "5963984" "6145064" "5933158" "5473348" "5905509" "5949436" "5999198" "6332184" "6941384" "6968425" "5479630" "6009503" "6343345" "5630088" "5530823" "6085296" "5630087" "6073226" "6105113" "5497480" "5530824" "5604879" "4587610" "5237671" "5255384" "5325507" "5329629" "5463750" "5535351" "5603008" "5606683" "5717885" "5778427" "5860147" "5873123" "5906001" "5907867" "5930832").pn. ("5928352" "5946716" "5953748" "6006312" "6223255" "6223255" "4525778" "4914577" "5265227" "5319760" "5339397" "5412787" "5428757" "5493660" "5515522" "5530822" "5574877" "5584005" "5586283" "5623619" "5696925" "5724538" "5752274" "5761691" "5765209" "5787494" "5802341" "5899994" "5996062" "6067608" "6240484" "6260131" "6282635" "6286090" "6327646" "6370632" "6393544" "6397379" "6418522" "6427162" "6430667" "6446189" "6510508" "6604187" "6732238" "6782453" "6854046" "6915406" "7003647" "5913923").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:31
S48	28	S47 and (variable multiple) near3 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:50
S49	23	S47 and (variable multiple) near3 size and tlb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:31
S50	1422	711/206-207.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:50

EAST Search History

S51	636	S50 and (segment ((mutliple variable) near3 size near3 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:51
S52	57	S50 and (((mutliple variable) near3 size near3 page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:52
S53	96	S50 and shared.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 14:52
S54	5	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:15
S55	256	S50 and multiprocessor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:15
S56	9	S55 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/04 15:15
S57	298	shared adj memory adj buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 12:01
S58	175	queue with tlb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 12:03

EAST Search History

S59	2	queue with tlb with (client)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:15
S60	88	queue with tlb and (client multiprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:15
S61	9	queue with tlb same order and (client multiprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:20
S62	7	fifo with tlb same order and (client multiprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:20
S63	0	buffer near2 request with tlb same out near3 order and (client multiprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:21
S64	0	buffer near2 request with tlb same out near3 order	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:21
S65	5	buffer near2 request with tlb and (client multiprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:31
S66	0	separate near3 (queue buffer fifo) with client same tlb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:32

EAST Search History

S67	85	separate near3 (queue buffer fifo) with client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:32
S68	0	separate near3 (queue buffer fifo) with client and tlb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:32
S69	1	separate near3 (queue buffer fifo) with client and virtual near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:35
S70	0	separate near3 (queue buffer fifo) with each with client and virtual near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:37
S71	18	711/202-207	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:37
S72	609	711/202-207.ccls. and (buffer queue fifo) with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 13:41
S73	16	711/202-207.ccls. and (buffer queue fifo) with request with client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 15:34
S74	16	711/202-207.ccls. and (buffer queue fifo) with request with client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 15:39

EAST Search History

S75	7	711/206-207.ccls. and (buffer queue fifo) with client not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 15:43
S76	27	tlb and (buffer queue fifo) with client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:30
S77	5	tlb same (buffer queue fifo) with client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:43
S78	2	tlb with (queue fifo) same (out adj2 order)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:44
S79	36	tlb same (queue fifo) same (out adj2 order)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:47
S80	19	tlb same (queue fifo) same (out adj2 order) and (client multiprocessor node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:02
S81	17	S79 not S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:47
S82	3	tlb with (queue fifo) with entry same (client multiprocessor node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:16

EAST Search History

S83	2	"20040225765"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:13
S84	16	US-6735673-\$.DID. OR US-6157986-\$.DID. OR US-6253287-\$.DID. OR US-6353871-\$.DID. OR US-6138225-\$.DID. "20040225765" "20030018855" "20030188110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:14
S85	5	S84 and tlb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:14
S86	38	tlb with (queue fifo) with entry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:16
S87	27	tlb with (queue fifo) with entry and (network client multiprocessor node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:17
S88	24	tlb with (queue fifo) with entry and (network client multiprocessor node) not S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:17
S89	2	tlb with client near3 block	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:50
S90	0	tlb with (client node) near3 (separate\$1 distinct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:51

EAST Search History

S91	6	tlb with (separate distinct) near3 (portion segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:52
S92	20	tlb with (separate distinct) near3 (portion segment block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:52
S93	2	"5930832".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 11:29
S94	0	tlb with (client node) with overlap\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 16:35
S95	113	tlb with overlap\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 16:35
S96	51	tlb with overlap\$5 and (client network node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 16:36
S97	0	tlb with overlap\$5 same (client network node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 16:36
S98	18	tlb and transparent near3 translation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 09:06

EAST Search History

S99	0	tlb and transparent near3 translation and visible near3 translation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 09:05
S10 0	12	tlb and visible near3 translation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 09:08
S10 1	2	tlb and transparent near3 translation with mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 09:07
S10 2	2	tlb and visible near3 translation with mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 09:11
S10 3	141	tlb and translation near3 mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 09:36
S10 4	0	tlb and translation near3 mode same client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 09:53
S10 5	1	tlb and translation near3 mode same shared adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 09:12
S10 6	4	tlb and translation near3 mode same node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 09:13

EAST Search History

S10 7	9	("20020169938" "20020172199" "5430850" "5446915" "5560029" "5649141" "5860146" "5897664" "6003123").PN. OR ("6922766").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/07 09:22
S10 8	7	tlb and translation near3 mode same kernel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 09:36
S10 9	86	tlb and mode with (client node shared adj memory) not (S105 S106)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:02
S11 0	22	tlb and mode with (client) not (S105 S106)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:02
S11 1	4	tlb.ti.ab. and mode with (client node shared adj memory) not (S105 S106)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:04
S11 2	2	tlb and transmit\$4 with physical adj address with client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:05
S11 3	6	tlb and transmit\$4 with physical adj address with (client node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 14:09
S11 4	34	transmit\$4 near3 physical adj address with (client node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:23

EAST Search History

S11 5	2	"20020199017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:23
S11 6	2	"20020199017" and physical adj address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 10:23
S11 7	13	tlb and (send\$3 sent relay\$3 forward\$3 pass\$3) with physical adj address with (client node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 14:15
S11 8	3	tlb and (client node) with block with (continuous contiguous overlap\$4 discontinuous noncontinuous noncontiguous (non adj continuous) (non adj contiguous))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 14:31
S11 9	5	tlb and (client node) with (page) with (continuous contiguous overlap\$4 discontinuous noncontinuous noncontiguous (non adj continuous) (non adj contiguous))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 14:33
S12 0	64	tlb and (processor) with (block segment page) with (continuous contiguous overlap\$4 discontinuous noncontinuous noncontiguous (non adj continuous) (non adj contiguous))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 14:33
S12 1	7	tlb with (processor) with (block segment page) with (continuous contiguous overlap\$4 discontinuous noncontinuous noncontiguous (non adj continuous) (non adj contiguous))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 14:34
S12 2	7	tlb same partition\$3 with (client node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:55

EAST Search History

S12 3	130	tlb with partition\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:59
S12 4	2	tlb with partition\$3 same (client node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:56
S12 5	4	tlb with section\$3 with (client node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 09:56
S12 6	32	tlb with partition\$3 and (client node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 10:00
S12 7	31	S126 not S122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 10:01
S12 8	12	rashid.in. and tlb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 10:03
S12 9	4	rashid.in. and tlb and @ad<"20040130"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 16:15
S13 0	3	miss with (remote adj (tlb (translation adj lookaside adj buffer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 13:48

EAST Search History

S13 1	1	miss with (secondary adj (tlb (translation adj lookaside adj buffer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 13:50
S13 2	1	(third adj level near3 (tlb (translation adj lookaside adj buffer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 13:53
S13 3	10	miss with (second adj level near3 (tlb (translation adj lookaside adj buffer)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 14:31
S13 4	0	(tlb (translation adj lookaside adj buffer)) with transparent adj mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 14:33
S13 5	0	(tlb (translation adj lookaside adj buffer)) with nontransparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 14:33
S13 6	4	(tlb (translation adj lookaside adj buffer)) and nontransparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 14:34
S13 7	0	(tlb (translation adj lookaside adj buffer)) same visible near3 mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 14:34
S13 8	2	"20050055510"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/10 16:15

☐ Search Session History

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Tue, 11 Apr 2006, 10:05:10 AM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

#1	(((translation <phrase> lookaside <phrase> buffer) <or> tlb) <paragraph> (client <or> node))<in>metadata)	7
#2	(((translation <phrase> lookaside <phrase> buffer) <or> tlb) <sentence> (client <or> node))<in>metadata)	3